

DGT- Aff011(51)/17/2022 O/o Dir (TC)
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Employment Exchange Building,
1st floor, Pusa, New Delhi,
Dated: 19.07.2022

To

The State Directorate

Andhra Pradesh, Assam, Bihar, Chhattisgarh, Gujarat, Haryana, Himachal Pradesh, Karnataka,
Madhya Pradesh, Maharashtra, Odisha, Rajasthan, Tamil Nadu, Uttar Pradesh, West Bengal

Subject: Affiliation of Units/Trades of Govt./Pvt. ITI with NCVT -regarding.

Sir,

As decided in the 3rd meeting of Standing Committee on Accreditation and Affiliation (SCAA) held on 24.06.2022., the committee recommended trades/units for session w.e.f. August 2022, for the ITIs for the trades/units mentioned in the attached list. The affiliation is granted for five years from the date of issue of this order.

2. The DGT & State officer can inspect the ITI any time for better performance & training
 - (i) Periodic verification.
 - (ii) The ITI must comply with DGT norms/guidelines issued from time to time.
 - (iii) ITI must display the newly released logo of ITI on the Display Board at the main gate.
3. The said information is also available under "News & Updates" on NCVT MIS Portal at <https://ncvtmis.gov.in>.
4. Affiliation of Trades/Units mentioned in this order valid till the validity of affiliation of ITIs and ITI should apply for "Renewal of Affiliation "as per DGT Norms.
5. Discrepancies if any in the affiliation orders, may be intimated to the undersigned within 15 days of issue of this order.

Yours faithfully

(Ujjwal Biswas)
Director TC

Copy along with enclosures for information to:

1. Sr PPS to Chairman of 3rd meeting of Standing Committee on Accreditation and Affiliation (SCAA)- DGT, New Delhi
2. Sr PPS to DDG (Affiliation).
3. The officer dealing with NCVT MIS Portal - To upload and Necessary mapping in the NCVT MIS portal.

(P.M. Damodharam)
Assistant Director TC



STATE Assam

Meeting Date: 24/06/2022

Total – 03, (New-01, Existing-02)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade which affiliation sought for	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
1.	Kaziranga Pvt ITI At Road, Rudrasagar Po Joysagar Dist Sivasagar 785665, Assam MIS Code: PR18000038 Grading- 0	Existing	Fire Technology and Industrial Safety Management-	6 (2+2+2)	2(2+1)	NR	NOT Recommended due to less Grading
			Solar Technician (Electrical)-	3 (1+1+1)	2(1+1)	NR	
2.	Suprabhat Private Industrial Training Institute, Inglijan Village, Nh37 Highway, Mouza-Tingrai, Borhapan Tinsukia-786151 TMP18302PR15807 14806	New	(COPA) Electrician Fitter Welder	2 (1+1) 2 (1+1) 2 (1+1) 2 (1+1)	2 (1+1) 2 (1+1) 2 (1+1) 2 (1+1)	2 (1+1) 2 (1+1) 2 (1+1) 2 (1+1)	Recommended: Computer Operator and Programming Assistant (COPA)- 2 (1+1) Electrician-2 (1+1) Fitter-2 (1+1) Welder-2 (1+1)






STATE Assam

Meeting Date: 24/06/2022

Total – 03, (New-01, Existing-02)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
3.	Ham-Ak Private Industrial Training Institute, Nagaon Shillongoni Dhing Road Nagaon (Assam) Nagaon-782122 TMP18297PR1579941922	New	Draughtsman (Civil)	3(2+1)	3 (1+1+1)	2(1+1)	Recommended: 1. Draughtsman (Civil)-2 (1+1) 2. Electrician-2 (1+1) 3. Fitter-2 (1+1) 4. Mechanic Motor Vehicle -2 (1+1) 5. Mechanical diesel engine-2 (1+1) 6. Surveyor-2 (1+1) 7. Wireman-2 (1+1) ITI to give undertaking within 7 days from the date of issue of MoM to RDSDE and State Directorate that CITS qualified instructors will be appointed (through RPL/Regular CITS) before the start of session 2022 State Directorate and RDSDE to ensure CITS qualified instructors are appointed
			Electrician	3(2+1)	3 (1+1+1)	2(1+1)	
			Fitter	3(2+1)	3 (1+1+1)	2(1+1)	
			Mechanic Diesel	3(2+1)	2 (1+1)	2(1+1)	
			Mechanic Motor Vehicle (MMV)	3(2+1)	2 (1+1)	2(1+1)	
			Surveyor	3(2+1)	3 (1+1+1)	2(1+1)	
			Wireman	3(2+1)	3(1+1+1)	2(1+1)	



STATE Andhra Pradesh

Meeting Date: 24/06/2022

Total - 04, (New-04, Existing- 00)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
1.	Sri Jyothi Pvt. ITI, R.S.No: 245/3, 247/1 & 2, Kalavapamula (Village), Vuyyuru TMPP2004	New	Electrician Fitter Mechanic Refrigeration and Air Conditioner Draughtsman (Civil)	4(2+2) 4(2+2) 2(1+1) 2(1+1)	4(2+2) 4(2+2) 2(1+1) 2(1+1)	4(2+2) 4(2+2) 2(1+1) 2(1+1)	Recommended: Electrician - 4 (2+2) Fitter - 4 (2+2) Mechanic Refrigeration and Air Conditioner -2 (1+1) Draughtsman (Civil) - 2 (1+1) ITI to give undertaking within 7 days from the date of issue of MoM to RDSDE and State Directorate that CITS qualified instructors will be appointed before the start of session 2022. State Directorate and RDSDE to ensure CITS qualified instructors are appointed.


19/7





STATE Andhra Pradesh

Meeting Date: 24/06/2022

Total – 04, (New-04, Existing- 00)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
2.	Sri Ramu Memorial Pvt. ITI, Mangalapalem (Village), Kothavalasa (Mandal), District - Vizianagaram 535183 TMPP2002	New	Electrician	8(4+4)	4(2+2)	4(2+2)	Recommended:
			Fitter	8(4+4)	2(1+1)	2(1+1)	1 Electrician – 4 (2+2)
			Carpenter	2(1+1)	2(1+1)	2(1+1)	2 Fitter – 2 (1+1)
			Mechanic Diesel	2(1+1)	2(1+1)	2(1+1)	3 Carpenter - 2 (1+1) 4 Mechanic Diesel - 2 (1+1)

[Handwritten signatures and date 19/7]



STATE Andhra Pradesh

Meeting Date: 24/06/2022

Total – 04, (New-04, Existing- 00)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
3.	Sree Raja Rajeshwari Pvt. ITI, Tirupati Block.01, Sumitra Gardens, Thatitopu, Tirupati (R), Chittoor (D), 517505 TMPP2011	New	Electrician	4(2+2)	2(1+1)	2(1+1)	Recommended: Electrician- 2 (1+1) Fitter – 2 (1+1) COPA – 2 (1+1) Sewing Technology –2 (1+1) Health Sanitary Inspector – 2 (1+1) ITI to give undertaking within 7 days from the date of issue of MoM to RDSDE and State Directorate that CITS qualified instructors will be appointed before the start of session 2022. State Directorate and RDSDE to ensure CITS qualified instructors are appointed.
			Fitter	2(1+1)	2(1+1)	2(1+1)	
			(COPA)	2(1+1)	2(1+1)	2(1+1)	
			Sewing Technology	2(1+1)	NR	2(1+1)	
			Health Sanitary Inspector	2(1+1)	NR	2(1+1)	






STATE Andhra Pradesh

Meeting Date: 24/06/2022

Total - 04, (New-04, Existing- 00)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
4.	Dr. Samuel George Pvt. ITI, Prakasam TMP28517PR1581490676	New	Electrician	4(2+2)	4(2+2)	4(2+2)	Recommended: Electrician – 4 (2+2) Draughtsman (Civil) – 4 (2+2) Fitter – 4 (2+2) Plumber – 4 (2+2) ITI to give undertaking within 7 days from the date of issue of MoM to RDSDE and State Directorate that CITS qualified instructors will be appointed before the start of session 2022. State Directorate and RDSDE to ensure CITS qualified instructors are appointed.
			Draughtsman (Civil)	4(2+2)	4(2+2)	4(2+2)	
			Fitter	4(2+2)	4(2+2)	4(2+2)	
			Plumber	4(2+2)	4(2+2)	4(2+2)	

(Signature) 19/7 *(Signature)*



STATE Bihar

Meeting Date: 24/06/2022

Total - 07, (New-02, Existing -05)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
1.	Talent Hut Private ITI, Talent Hut Pvt ITI Parari Parari, Nalanda-803108 MIS Code: PR10000904 Grading-2.09	Existing	COPA Electrician Sewing Technology	2 (1+1+0) 8(4+4+0) 2 (1+1+0)	NR 8(4+4) NR	NR 8(4+4) NR	Recommended: 1 Electrician - 8 (4+4)
2.	Ramchandra Prasad Ji Private Industrial Training Institute, Gopalganj Vill-Harkhauli Uttar Tola Post-Mirganj Thana-Mirganj Dist-Gopalganj TMP10197PU15816 81631	New	(COPA) Fitter Electrician Old Age Care-	2(1+1) 2(1+1) 4(2+2) 2(1+1)	2(1+1) 2(1+1) 4(2+2) Housekeeping 2(1+1)	NR NR NR NR	Not Recommended Difference of trade in Annexure-III and inspection carried out

[Handwritten signatures]
PIA

STATE Bihar

Meeting Date: 24/06/2022

Total - 07, (New-02, Existing -05)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
3.	Anand Private ITI Private Industrial Training Institute, Patna, Anand Pvt Iti College, Amhara Kanchanpur Road, Patna-801103 MIS Code: PR10000905 Grading-0.94	Existing	Electrician	8 (4+4+0)	8(4+4)	NR	Not recommended due to less Grading




STATE Bihar

Meeting Date: 24/06/2022

Total - 07, (New-02, Existing -05)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
4.	Urmila Devi Pvt ITI, Village + Post-Badar Jamin, Block-Bhagwanpur Hat District-Siwan, Pin-841224 TMP 411 MSTI NEW	New	COPA	2 (1+1)	NR	NR	Not recommended 1. Major deficiencies are mentioned in report of ICVC recommendation on Column V 2. NOC that ITI is lying in an unserved area from the state directorate is required 3. BCC completion certificate produced issuing authority stamp is not visible 4. Drawing room available but drawing boards/tables not present in it
			Wireman	4 (2+2)	NR	NR	



STATE Bihar

Meeting Date: 24/06/2022

Total - 07, (New-02, Existing -05)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
5.	Pragati Private ITI, Bhogipur, Bhelwara, Post-Mittanchak Ps - Gaurichak 804453-Patna MIS Code: PR10001065 Grading-1.54	Existing	Electrician	2 (1+1)	NR	NR	Not Recommended
			Surveyor	2 (1+1)	NR	NR	
6.	Sudist Narayan Thakur Private Industrial Training Institute Private, Shahjadapur, PO Ramchandra Pur, Sarairanjan Dist - Samastipur ,848127 MIS Code: PR10001260 Grading-0	Existing	Electrician	8 (4+4)	4(2+2)	NR	Not Recommended due to less Grading
			Surveyor	2 (1+1)	2(1+1)	NR	

 19/7





STATE Bihar

Meeting Date: 24/06/2022

Total - 07, (New-02, Existing -05)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
7.	Ramashish Prasad Pvt ITI, Nalanda, Nimacol, Chandi Road, Harnout, Nalanda 803110 MIS Code: PR10001075 GRADING-1.20	Existing	Electrician	8 (4+4)	8(4+4)	NR	Not Recommended due to less Grading and 1. Grading of the institute is less than 1.25 2. BCC is not as per Norms 3. All Instructor NCIC qualification details not available 4. Machinery bill invoice is available but payment proof not uploaded 5. Fire buckets and inspection reports are available but Fire safety certificate not uploaded







STATE Chhattisgarh

Meeting Date: 24/06/2022

Total – 07, (New-02, Existing -05)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
1.	Bharti Private ITI, Janjgir-Champa-495556 TMP22379PR1582738290	New	(COPA)	4 (2+2)	4(2+2)	4(2+2)	Recommended: COPA – 4 (2+2) Health Sanitary Inspector – 2 (1+1) Electrician – 4 (2+2) Hospital Housekeeping – 2 (1+1)
			Health Sanitary Inspector	2 (1+1)	2(1+1)	2(1+1)	
			Electrician	4 (2+2)	4(2+2)	4(2+2)	
			Stenographer Secretarial Assistant (Hindi)	2 (1+1)	NR	NR	
			Mason (Building Constructor)	4 (2+2)	NR	NR	
			Fitter	4 (2+2)	NR	NR	
			Hospital Housekeeping	4 (2+2)	2(1+1)	2(1+1)	
2.	Government ITI, Sarangarh, Distt-Raigarh Raigad-496661 MIS Code: GR22000040 Grading -2.52	Existing	Fitter	2 (1+1)	2 (1+1)	2(1+1)	Recommended: Fitter – 2 (1+1) Welder – 1(1+0)
			Welder	2 (1+1)	1(1+0)	1(1+0)	





STATE Chhattisgarh

Meeting Date: 24/06/2022

Total - 07, (New-02, Existing -05)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
3.	Sandipani Academy Private ITI Gram. Achhoti, Post. Murmunda, Taluka-Dhamdha, Durg-490036 MIS Code: PR22000109 Grading- 2.64	Existing	Stenographer and Secretarial Assistant (Hindi) -	2 (1+1)	2 (1+1)	2 (1+1)	Recommended: Stenographer and Secretarial Assistant (Hindi) - 2 (1+1)
4.	Govt Women Industrial Training Institute Raigarh Chakradhar Nagar Behind Sindhi Colony - 496001 MIS Code: GR22000014 Grading-2.09	Existing	Basic Cosmetology Information & Communication Technology System Maintenance Surface Ornamentation Techniques (Embroidery)	2 (1+1) 2 (1+1) 2 (1+1)	2 (1+1) 2 (1+1) 2 (1+1)	2 (1+1) 2 (1+1) 2 (1+1)	Recommended: 1. Basic Cosmetology-2 (1+1) 2. Information & Communication Technology System Maintenance-2 (1+1) 3. Surface Ornamentation Techniques (Embroidery)- 2 (1+1)

[Handwritten signatures and initials]



STATE Chhattisgarh

Meeting Date: 24/06/2022

Total - 07, (New-02, Existing -05)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
5.	Government Industrial Training Institute, Kharsia, Distt-Raigarh, Kharsia, Raigad-496661-Chhattisgarh MIS Code: GR22000041 Grading-2.06	Existing	Welder	2(1+1)	2(1+1)	2(1+1)	Recommended; 1. Welder - 2 (1+1) State directorate to ensure Instructors are CITS pass made through RPL
			Mechanic Diesel	2(1+1)	NR	NR	
			Stenographer Secretarial Assistant (Hindi)	2(1+1)	NR	NR	
6.	Sonkar Pvt ITI, Raipur Road, Bundeli, Chirhula, Mungeli, Chhattisgarh, Mungeli- 495334 Chhattisgarh MIS Code: PU22000178 GRADING-1.36	Existing	Computer Operator and Programming Assistant	4(2+2)	Rejected	Rejected	Rejected
			Electrician	4(2+2)	Rejected	Rejected	
			Fitter	4(2+2)	Rejected	Rejected	
			Welder	2(1+1)	Rejected	Rejected	
			Health Sanitary Inspector	4(2+2)	Rejected	Rejected	



STATE Chhattisgarh

Meeting Date: 24/06/2022

Total – 07, (New-02, Existing -05)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
7.	Rungta Private ITI, Rungta Knowledge City, Kohka-Kurud Road, Bhilai Durg-490024, Chhattisgarh TMP22378PU15802 99192 (SPECIAL CASE)	New	COPA	14(7+7)	14(7+7)	14(7+7)	Recommended: 1. COPA - 14 (7+7) 2. Electrician - 8 (4+4) 3. Fitter-4 (2+2) 4. Smartphone Technician Cum App Tester-2 (1+1) 5. Welder-2 (1+1) ITI to give undertaking within 7 days from the date of issue of MoM to RDSDE and State Directorate that CITS qualified instructors will be appointed before the start of session 2022 State Directorate and RDSDE to ensure CITS qualified instructors are appointed
			Electrician	8(4+4)	8(4+4)	8(4+4)	
			Fitter	4(2+2)	4(2+2)	4(2+2)	
			Smartphone Technician Cum App Tester	2(1+1)	2(1+1)	2(1+1)	
			Welder	2(1+1)	2(1+1)	2(1+1)	

[Signature]
7/7

[Signature]
ex.

STATE Gujarat

Meeting Date: 24/06/2022

Total - 06, (New-04, Existing-02)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
1.	Narnarayan Shastri Private Industrial Training Institute, Distt Ahmadabad - 382427 TMP24438PR15828 72262	New	Health Sanitary Inspector	8(3+3+2)	NR	Rejected	Rejected
			Hospital Housekeeping	3(1+1+1)	NR	Rejected	
			Old Age Care	3(1+1+1)	NR	Rejected	
			Physiotherapy Technician	3(1+1+1)	NR	Rejected	
2.	Bharatiya Vidya Bhavan Inst of Skill Develop Private Industrial Training Institute, Distt Kheda - 387345 TMP24450PR15825 35624	New	Carpenter-	3(1+1+1)	NR	Rejected	Rejected
			Catering & Hospitality Assistant	3(1+1+1)	NR	Rejected	
			Digital Photographer	3(1+1+1)	NR	Rejected	
			Electrician	3(1+1+1)	NR	Rejected	



STATE Gujarat

Meeting Date: 24/06/2022

Total - 06, (New-04, Existing-02)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
3.	Experimental Industrial Training Institute Private Industrial Training Institute Distt Sabar Kantha – 383205 TMP24458PR15821 98674	New	Computer Operator and Programming Assistant (COPA)	2(1+1)	NR	Rejected	Rejected
			Draughtsman Mechanical	2(1+1)	NR	Rejected	
			Health Sanitary Inspector	2(1+1)	NR	Rejected	
			Surveyor	2(1+1)	NR	Rejected	
			Wireman	2(1+1)	NR	Rejected	
4.	Devnandan ITC Private Industrial Training Institute Distt Arvali - 383310 TMP24672PR15800 24102	New	Basic Cosmetology	2(1+1)	NR	Rejected	Rejected
			Fireman	3(1+1+1)	NR	Rejected	
			Health Sanitary Inspector	3(1+1+1)	NR	Rejected	
			Surveyor	2(1+1)	NR	Rejected	




STATE Gujarat

Meeting Date: 24/06/2022

Total – 06, (New-04, Existing-02)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
5.	Shri Saraswati Kelavani Mandal Ujada-Vadi Private ITI, Sampa, Panchmahal PU24006115(SPECIAL CASE) Grading-0.63	Existing	Health Sanitary Inspector	2(1+1)	1(1+0)	NR	NOT Recommended Due to less Grading 1. Details of CITS Pass out Instructors not available 2. Amenities and Drawing Hall are under construction 3. No Statutory Plan Certificate not available Grading is Low
			In Plant Logistics Assistant	2(1+1)	2(1+1)	NR	
6.	Charotar Gas Private ITI Bakrol, Bakrol-Vadtal Road, Near Knowledge Campus Anand-388121, Gujarat MIS Code: PU24008073(SPECIAL CASE) Grading-0.70	Existing	Solar Technician (Electrical)	2(1+1)	2(1+1)	NR	NOT Recommended Due to less Grading Details of CITS Pass out Instructor not available
			Basic Cosmetology	1(1+0)	1(1+0)	NR	





STATE Tamil Nadu

Meeting Date: 24/06/2022

Total - 02, (New-00, Existing-02)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
1.	Govt ITI Tiruvannamalai Govt Industrial Training Institute, Distt Tiruvannamalai – 606604 MIS Code: GR33000071 Grading- 3.22	Existing	Draughtsman (Civil) Wireman	2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0)	Recommended: 1. Draughtsman (Civil)- 2 (1+1+0) 2. Wireman -2 (1+1+0) State directorate to ensure CITS instructors through RPL/regular CITS
2.	C S I Technical and Voc Training Centre for Women C S I Compound, Avinashi Road Coimbatore-641018 MIS Code: PR33000284 Grading- 0	Existing	COPA Draughtsman Civil Electronic Mechanic Stenographer & Secretarial Assistant Sewing Technology	2(1+1+0) 2(1+1+0) 2(1+1+0) 1(1+0+0) 1(1+0+0)	NR NR NR NR	Rejected Rejected Rejected Rejected Rejected	Rejected

[Handwritten signatures and initials]




STATE Rajasthan

Meeting Date: 24/06/2022

Total - 01, (New-01, Existing-00)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
1.	Yadupati Singhania Institute of Technology Pvt ITI, Yadupati Singhania Institute of Technology Pvt ITI, Jk Road, Post-Gotan, Tehsil- Merta, District- Nagaur (Raj) Nagaur-342902, Rajasthan TMPSP028(SPECIAL CASE)	NEW	Electrician Power Distribution	2(1+1)	2(1+1)	2(1+1)	Recommended: 1. Electrician Power Distribution -2 (1+1) 2. Electronics Mechanic- 2 (1+1) 3. Fitter -2 (1+1) 4. Marketing Executive- 2 (1+1) 5. Mechanic Motor Vehicle (MMV)- 2 (1+1) Solar Technician (Electrical)- 2 (1+1)
			Electronics Mechanic	2(1+1)	2(1+1)	2(1+1)	
			Fitter	2(1+1)	2(1+1)	2(1+1)	
			Marketing Executive	2(1+1)	2(1+1)	2(1+1)	
			Mechanic Motor Vehicle (MMV)	2(1+1)	2(1+1)	2(1+1)	
			Solar Technician (Electrical)	2(1+1)	2(1+1)	2(1+1)	



STATE Maharashtra

Meeting Date: 24/06/2022

Total - 11, (New-00, Existing -11)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
1.	A.I.E.& D F's, Bhaskarrao Galande Patil, Private Industrial Training Institute, Ashoknagar, Tal. Shrirampur, Dist. Ahmednagar, Mh-413717 MIS Code: PU27000192 Grading-1.70	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended: Electrician - 2 (1+1)
2.	DON Bosco Private ITI, Premier Automobiles Road, Kurla (West), Mumbai Suburban-400070, Maharashtra MIS Code: PR27000039(SPECIAL CASE) GRADING-3.39	Existing	Technician Mechatronics	2(1+1)	2(1+1)	2(1+1)	Recommended: Technician Mechatronics-2 (1+1)






STATE Maharashtra

Meeting Date: 24/06/2022

Total – 11, (New-00, Existing -11)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
3.	Government Industrial Training Institute, Biloli, Dist: Nanded Burud Galli, Kundalwadi Road, Biloli Nanded-431710 Maharashtra MIS Code: GR27000599 (SPECIAL CASE) Grading-0.94	Existing	Machinist	2(1+1)	2(1+1)	NR	Not Recommended Due to low Grading
			Mechanic Refrigeration and Air Conditioner-	2 (1+1)	2 (1+1)	NR	
4.	Government Industrial Training Institute, Ner, Dist: Yavatmal Manikwada Road Yavatmal-445303 Maharashtra MIS Code: GR27000465 (SPECIAL CASE) Grading-2.38	Existing	Electrician Wireman	2(1+1+0) 1(0+1+0)	NR 1(0+1+0)	NR 1(0+1+0)	Recommended: Wireman-1(0+1) Not Recommended: Electrician-2 (1+1+0) State directorate will ensure fire safety





STATE Maharashtra

Meeting Date: 24/06/2022

Total - 11, (New-00, Existing -11)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
5.	Government Industrial Training Institute (Scp), Kilearc, Dist: Aurangabad 431005 Maharashtra MIS Code: GU27000542(SPECIAL CASE) Grading- 2.04	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended: 1. Electronics-2 (1+1) 2. Mechanic Electrician-2 (1+1) State directorate will ensure fire safety
			Mechanic Electrician	2(1+1)	2(1+1)	2(1+1)	
6.	Government Industrial Training Institute Majalgaon Dist Beed MIS Code: GR27000387(SPECIAL CASE) Grading- 1.6	Existing	Electrician	1 (0+1+0)	1 (0+1+0)	1 (0+1+0)	Recommended: 1. Electrician - 1 (0+1+0) 2. Welder - 1 (0+1+0) State directorate will ensure fire safety and proper drawing tables
			Welder	1 (0+1+0)	1 (0+1+0)	1 (0+1+0)	



STATE Maharashtra

Meeting Date: 24/06/2022

Total - 11, (New-00, Existing -11)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
7.	Govt ITI, Digras, Bhavani Mandir Road, Digras MIS Code: GR27000413(SPECIAL CASE) Grading- 2.42	Existing	Computer Operator and Programming Assistant (COPA)-	1(0+1+0)	NR	NR	Recommended: 1. Fitter-1(0+1+0)
			Fitter-	1(0+1+0)	1(0+1+0)	1(0+1+0)	NOT Recommended: 1 Pump Operator Cum Mechanic - 1 (0+1+0)
			Pump Operator Cum Mechanic-	1(0+1+0)	NR	NR	2 COPA - 1 (0+1+0) State directorate will ensure fire safety
8.	Government Industrial Training Institute, Karanja Lad, Dist: Washim, Darwha Road Washim-444105 Maharashtra MIS Code: GR27000306(SPECIAL CASE) Grading- 1.61	Existing	Basic Cosmetology	1(0+1+0)	1(0+1+0)	1(0+1)	Recommended: 1. Basic Cosmetology - 1 (0+1)
			Electrician	1(0+1+0)	1(0+1+0)	1(0+1)	2. Electrician - 1 (0+1)
			Fitter	2(1+1)	2(1+1)	2(1+1)	3. Fitter - 2 (1+1)
			Welder	1(0+1+0)	1(0+1+0)	1(0+1)	4. Welder - 1 (0+1) State directorate to ensure CITS instructors through RPL/regular CITS

STATE Maharashtra

Meeting Date: 24/06/2022

Total - 11, (New-00, Existing -11)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
9.	Government Industrial Training Institute, Naigoan, Lalwandi Road, Nanded-431709 Maharashtra MIS Code: GR27000600 (SPECIAL CASE) Grading- 0.56	Existing	Electrician Fitter Mechanic Motor Vehicle (MMV) Sewing Technology Wireman	1(0+1+0) 1(0+1+0) 2(1+1) 1(1+0+0) 1(1+0+0)	1(0+1+0) 1(0+1+0) 2(1+1) 1(1+0+0) 1(1+0+0)	NR NR NR NR	Not Recommended due to less Grading
10.	Government Industrial Training Institute, Kalmeshwar, Dist: Nagpur 441501 MIS CODE: GR27000265(SPECIAL CASE) Grading- 1.86	Existing	Electrician Fitter	1(0+1+0) 1(0+1+0)	1(0+1+0) 1(0+1+0)	1(0+1) 1(0+1)	Recommended: 1. Electrician-1 (0+1) 2. Fitter-1 (0+1) State directorate will ensure fire safety

[Signature]
19/7

[Signature]




STATE Maharashtra

Meeting Date: 24/06/2022

Total - 11, (New-00, Existing -11)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
11.	Government Industrial Training Institute Survey No313, Kavlpada Road, Village Mokhada, Tal Mokhada Distt Palghar - 401604 Mis Code: GR27000355 Grading-3.18	Existing	Electrician	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended: 1. Electrician-2 (1+1+0) 2. Fitter-2 (1+1+0) 3. Mechanic Motor Vehicle -2 (1+1+0) 4. Welder- 1(0+1+0) 5. Wireman- 1(0+1+0) ITI to give undertaking within 7 days from the date of issue of MoM to RDSDE and State Directorate that CITS qualified instructors will be appointed (RPL/Regular CITS) before the start of session 2022
			Fitter	2 (1+1+0)	2 (1+1+0)	2 (1+1+0)	
			Mechanic Motor Vehicle	2 (1+1+0)	2 (1+1+0)	2 (1+1+0)	
			Welder	1 (0+1+0)	1 (0+1+0)	1 (0+1+0)	
			Wireman	1 (0+1+0)	1 (0+1+0)	1 (0+1+0)	





STATE Maharashtra

Meeting Date: 24/06/2022

Total - 11, (New-00, Existing -11)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
							State Directorate and RDSDE to ensure CITS qualified instructors are appointed


[Handwritten signatures and initials]

STATE Odisha

Meeting Date: 24/06/2022

Total - 04, (New-01, Existing- 03)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
1.	Govt Industrial Training Institute, Barbil At -Barbil Po: - Matkambada KENDUJHAR-758036 MIS Code: GU21000498 Grading-2.54	Existing	Fitter	4 (2+2)	4 (2+2)	4 (2+2)	Recommended:
			Electrician	4 (2+2)	4 (2+2)	4 (2+2)	Fitter - 4 (2+2)
			Sewing Technology	2 (1+1)	2 (1+1)	2 (1+1)	Electrician - 4 (2+2)
			Mechanic Diesel	2 (1+1)	2 (1+1)	2 (1+1)	Sewing Technology - 2 (1+1)
2.	Govt. ITI Pottangi At-Po - Pottangi Koraput-764039 MIS Code: GR21000613 Grading - 1.28	Existing	(COPA)	2 (1+1)	2 (1+1)	2 (1+1)	Recommended:
							COPA - 2 (1+1)




STATE Odisha

Meeting Date: 24/06/2022

Total - 04, (New-01, Existing- 03)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
3.	Govt. Industrial Training Institute, Nandapur, Koraput TMP21363GR15828 85623	New	Fitter	3(1+1+1)	2(1+1)	2(1+1)	Recommended:
			Electrician	3(1+1+1)	2(1+1)	2(1+1)	Fitter - 2 (1+1)
			Welder (GMAW & GTAW)	3(1+1+1)	NR	2(1+1)	Electrician - 2 (1+1) Welder (GMAW & GTAW) - 2 (1+1)
			Computer Operator and Programming Assistant (COPA)	3(1+1+1)	NR	2(1+1)	Computer Operator and Programming Assistant (COPA) - 2 (1+1)



STATE Odisha

Meeting Date: 24/06/2022

Total – 04, (New-01, Existing- 03)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
4.	Government Industrial Training Institute, Laxmipur Post - Laxmipur Koraput-764055 Mis Code: GR21000604 Grading -2.03	Existing	Sewing Technology	2 (1+1)	2 (1+1)	2 (1+1)	Recommended: Sewing Technology - 2 (1+1) ITI to give undertaking within 7 days from the date of issue of MoM to RDSDE and State Directorate that CITS qualified instructors will be appointed before the start of session 2022. State Directorate and RDSDE to ensure CITS qualified instructors are appointed.

[Handwritten Signature]
16/7



STATE Madhya Pradesh

Meeting Date: 24/06/2022

Total – 05, (New-01, Existing- 04)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
1.	Kamtanath Private ITI, Dabra Mis Code: PU23000567 Grading - 1.53	Existing	Stenographer Secretariat Assistant (Hindi) –	3(1+1+1)	3(1+1+1)	2(1+1)	Recommended: Stenographer Secretariat Assistant (Hindi) – 2 (1+1)
2.	Mata Seetadevi Private ITI, Chhatarpur MIS Code: PU23000919 Grading - 0.65	Existing	Stenographer Hindi - Electrician	- -	- -	- -	Not Recommended due to less Grading Grading 0.65


(Signature) 17/7

STATE Madhya Pradesh

Meeting Date: 24/06/2022

Total - 05, (New-01, Existing- 04)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
3.	Gyanveer Pvt. ITI, Sagar Rajghat Road, Sagar-470002 MIS Code: PU23000448 Grading - 1.65	Existing	Stenographer Secretarial Assistant (Hindi)	2(1+1)	2(1+1)	2(1+1)	Recommended: Stenographer Secretarial Assistant (Hindi) - 2 (1+1) ITI to give undertaking within 7 days from the date of issue of MoM to RDSDE and State Directorate that CITS qualified instructors will be appointed before the start of session 2022. State Directorate and RDSDE to ensure CITS qualified instructors are appointed.



STATE Madhya Pradesh

Meeting Date: 24/06/2022

Total - 05, (New-01, Existing- 04)


Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
4.	Biore Private Industrial Training Institute, Ojhara Private Industrial Training Institute, Khargone, Gram-Ojhara, Tehsil-Kasrawad, Dist - Khargone Madhya Pradesh, 451228 TMP23414PR1580454021	New	Computer Operator and Programming Assistant (COPA)	3 (1+1+1)	3 (1+1+1)	4(2+2)	Recommended: 1. Electrician-4 (2+2) 2. Sewing Technology-2 (1+1) 3. Computer Operator and Programming Assistant (COPA)- 2 (1+1) 4. Wireman-2(1+1) ITI to give undertaking within 7 days from the date of issue of MoM to RDSDE and State Directorate that CITS qualified instructors will be appointed before the start of session 2022State Directorate and RDSDE to ensure CITS qualified instructors are appointed
			Electrician	6 (2+2+2)	6 (2+2+2)	2(1+1)	
			Sewing Technology	3 (1+1+1)	3 (1+1+1)	2(1+1)	
			Wireman	3 (1+1+1)	3 (1+1+1)	2(1+1)	

STATE Madhya Pradesh

Meeting Date: 24/06/2022

Total - 05, (New-01, Existing- 04)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
5.	Laxman Seth Private ITI College Private Industrial Training Institute, Shimpuri, Laxman Seth Private ITI College, Dinara, Karera Mis Code: PR23000570 Grading-1.33	Existing	Electrician	6 (2+2+2)	6 (2+2+2)	NR	NOT Recommended
			Stenographer Secretarial Assistant (Hindi)-	6 (2+2+2)	6 (2+2+2)	NR	Due to deficiency 1. CITS Pass out instructor details not available 2. Machinery partially available not installed in the workshop insufficient hand tools are noticed in the electrician workshop and Stenography Hindi lab bill not in the favor of Laxman Seth Pvt ITI



STATE Madhya Pradesh

Meeting Date: 24/06/2022

Total - 05, (New-01, Existing- 04)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
							3. Original BCC not available, Drawing hall not systematic 4. Power Connection not as per norms 5. Other Deficiencies are mentioned in ICVC remarks

(Signature) 17/7

(Signature)



STATE Karnataka

Meeting Date: 24/06/2022

Total – 02, (New-00, Existing-02)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
1.	Sri Krishna Pvt. ITI, Devanahalli B.B.Road Devanahalli MIS Code: PR29000343 Grading 1.28	Existing	Electronic Mechanic	2 (1+1)	2 (1+1)	2 (1+1)	Recommended:
			Fitter	4 (2+2)	2 (1+1)	2 (1+1)	Electronic Mechanic -2 (1+1)
			Turner	2 (1+1)	2 (1+1)	2 (1+1)	Fitter - 2 (1+1)
							Turner - 2 (1+1)

[Handwritten signatures and dates]



STATE Karnataka

Meeting Date: 24/06/2022

Total - 02, (New-00, Existing-02)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
2.	Deshpande Private Industrial Training Institute, Haliyal Udyog Vidya Nagar, Dandeli Road Haliyal, Uttar Kannad-581329 PU29000030(SPECIAL CASE) Grading-2.96	Existing	Mechanic Auto Body Painting	1 (1+0)	1 (1+0)	1 (1+0)	Recommended 1 Solar Technician (Electrical)-2 (1+1) 2 Mechanic Auto Body Repair-1(1+0) 3 Mechanic Auto Body Painting-1(1+0) ITI to give undertaking within 7 days from the date of issue of MoM to RDSDE and State Directorate that CITS qualified instructors will be appointed before the start of session 2022State Directorate and RDSDE to ensure CITS qualified instructors are appointed
			Mechanic Auto Body Repair	1 (1+0)	1 (1+0)	1 (1+0)	
			Solar Technician (Electrical)	2 (1+1)	2 (1+1)	2 (1+1)	

(Signature) 17/7



STATE Himachal Pradesh

Meeting Date: 24/06/2022

Total - 01, (New-00, Existing -01)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
1.	Happy Young Private Industrial Training Institute, Mandi Naya Bazar Bmb Colony Sunder Nagar, Mandi-175019 Himachal Pradesh MIS Code: PU02000147 Grading-1.18	Existing	Electrician	3(1+1+1)	3(1+1+1)	NR	NOT Recommended Due to less Grading Details of CITS Pass out Instructors not available Payment Proof not available Biometric machine, Student records not available Fire Safety certificate not available BCC, Power connection not as per norms



STATE Haryana

Meeting Date: 24/06/2022

Total – 03, (New-02, Existing- 01)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
1.	Govt Industrial Training Institute, Barwala, 12512-Hisar MIS Code: GU06000072 Grading-3.66	Existing	Machinist	2(1+1)	2(1+1)	2(1+1)	Recommended Machinist-2 (1+1) State directorate to ensure CITS instructors through RPL/regular CITS
2.	Shri Krishna Pvt ITI, Budani Rewari Haryana), Rewari, Haryana 1906031565	New	COPA Electrician Fitter Health sanitary Inspector	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) NR 2(1+1)	NR NR NR NR	NOT Recommended Minimum Four trades are required ITI needs to remove the deficiencies

(Signature) 19/7



STATE Haryana

Meeting Date: 24/06/2022

Total – 03, (New-02, Existing- 01)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
3.	Government Industrial Training Institute Surewala Govt Industrial Training Institute, Hisar Nh-52 Near Surewala Chowk Tehsil Uklana District Hisar TMP663GR1582796 794	New	Computer Operator and Programming Assistant (COPA	2(1+1)	NR	NR	Recommended for 1. Machinist-2 (1+1) ITI needs to remove deficiencies Letter from state directorate to purchase machinery within 21 days of issuing this MoM
			Electrician	2(1+1)	NR	NR	
			Machinist-	2(1+1)	2(1+1)	2(1+1)	
			Mechanic Refrigeration and Air Conditioner	2(1+1)	NR	NR	



STATE Uttar Pradesh

Meeting Date: 24/06/2022

Total – 12, (New-08, Existing -04)


Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade which affiliation sought for	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
1.	Kamta Nath Private ITI, Village - Parsaunda (Barethi Askaran) Post-Parsaunda Dist-Banda-210001 TMP9128PR158166695	New	Electrician	6 (2+2+2)	6 (2+2+2)	4 (2+2)	Recommended:
			Fitter	6 (2+2+2)	6 (2+2+2)	4 (2+2)	Electrician – 4 (2+2)
			(COPA)	3 (1+1+1)	3 (1+1+1)	2 (1+1)	Fitter – 4 (2+2)
			Health Sanitary Inspector	3 (1+1+1)	3 (1+1+1)	2 (1+1)	COPA – 2 (1+1) Health Sanitary Inspector – 2 (1+1)
2.	S.R. Private Industrial Training Institute, Village-Maikpur Bhuta Bareilly TMP9130PR1580292573	New	Electrician	2(2+0)	2 (1+1)	2 (1+1)	Recommended:
			Computer Operator and Programming Assistant (COPA)	2(2+0)	2 (1+1)	2 (1+1)	Electrician - 2 (1+1) COPA - 2 (1+1)
			Architectural Draughtsman	2(2+0)	2 (1+1)	NR	Radiology Technician - 2 (1+1)
			Mechanic Refrigeration and Air Conditioner	2(2+0)	2 (1+1)	NR	Health & Sanitary Inspector - 2 (1+1)
			Health Sanitary Inspector	2 (2+0)	2 (1+1)	2 (1+1)	
			Radiology Technician	2 (2+0)	2 (1+1)	2 (1+1)	

STATE Uttar Pradesh

Meeting Date: 24/06/2022

Total - 12, (New-08, Existing -04)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
3.	PR Memorial Pvt ITC, Noorpur Bheta, Kishanpath Mohanlalganj, Lucknow A16000616 Uttar Pradesh MIS Code: PR09900579 Grading -0.93	Existing	Electrician	12(4+4+4)	12(4+4+4)	NR	Not Recommended due to Less grading
4.	Shri Raj Kumar Singh College of Private ITI, Vill- Bhawanipur, Karhal, Dist- Mainpuri, U.P.-205268 1809015865 New ITI	New	Electrician Fitter COPA Health sanitary Inspector-	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	4(2+2) 4(2+2) 2(1+1) 2(1+1)	Recommended: Electrician -4(2+2) Fitter -4(2+2) COPA-2(1+1) Health sanitary Inspector -2(1+1)



STATE Uttar Pradesh

Meeting Date: 24/06/2022

Total – 12, (New-08, Existing -04)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
5.	Maa Omavati Memorial Pvt ITI, Jarauli, Firozabad 283203 1809014960	New	Electrician	6(2+2+2)	NR	Rejected	Rejected
			Fitter	6(2+2+2)	NR	Rejected	
			HSI	3(1+1+1)	NR	Rejected	
			Wireman	3(1+1+1)	NR	Rejected	
6.	Rannvir Singh Shyam Singh Pvt ITI, Madanpur, Firozabad 1809014991	New	COPA	3 (1+1+1)	NR	Rejected	Rejected
			Cutting & sewing	3 (1+1+1)	NR	Rejected	
			Electrician	6 (2+2+2)	NR	Rejected	
			Fitter	6 (2+2+2)	NR	Rejected	

[Signature] 19/7

[Signature]



STATE Uttar Pradesh

Meeting Date: 24/06/2022

Total - 12, (New-08, Existing -04)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
7.	A S M, Private ITI, Aligarh, Uttar Pradesh 1809016735	New	Diesel Mechanic	3(1+1+1)	NR	NR	Not Recommended due to deficiencies 1. At institute location existence of ASM degree college as per Google and institute has no separate boundary & gate As per lease there are 4 w/s ,3 hall,4rooms & 1office which is less than requirement 2. Staircase is without railing and no door at the exit No firefighting alarm, Equipment's, devices are available other than the trade tool list
			Electrician	6 (2+2+2)	NR	NR	
			Fitter	3(1+1+1)	NR	NR	
			Plumber	3(1+1+1)	NR	NR	

(Signature) 19/7

STATE Uttar Pradesh

Meeting Date: 24/06/2022

Total – 12, (New-08, Existing -04)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade which affiliation sought for	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
							<p>3. Actual dimensions of workshop area E,F,DM, are not matching with map & layout of the Store, First-aid, staffroom ,Library, toilets physically not matching with map Total building old constructed other than 4 w/s</p> <p>4. At the time of insp PPL& only 3 instructors were present Only 5 CITS qualified out of 37 inst qualifications of most institutes not matching with trade the date of most of the experience certificates is overlapping</p>

STATE Uttar Pradesh

Meeting Date: 24/06/2022

Total – 12, (New-08, Existing -04)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instit.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
							<p>5. BCC must be verified from issuing authority As per SDM Gabhana order dated 26/12/2012 land use is residential</p> <p>6. No proper drinking water arrangement & also ramp is not available Toilets are not maintained & in very dirty conditions Insufficient light & ventilation in the Library Only Tent house chairs found in the Library</p>




STATE Uttar Pradesh

Meeting Date: 24/06/2022

Total - 12, (New-08, Existing -04)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
8.	KDM Pvt ITI, Mau, Muradabad, MIS Code: PR09000990 Grading- 1.43	Existing	Electrician	12(4+4+4)	12(4+4+4)	8(4+4)	Recommended: Electrician -8 (4+4)
			Fitter	3(1+1+1)	3(1+1+1)	2(1+1)	Fitter-2 (1+1)
9.	Gangaram Private ITI Gram-Sihura, Post-Khojaphool Kanpur Dehat-209310 MIS Code: PR09900652 Grading-1.77	Existing	Trade details not available in application	Units details not available in application	NOT Recommended, ITI was locked	Rejected	Rejected



STATE Uttar Pradesh

Meeting Date: 24/06/2022

Total - 12, (New-08, Existing -04)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade which affiliation sought for	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
10.	Pt. Aman Singh Pvt ITI, Ghaziabad 168, Village & Post Patla Distt. - Ghaziabad 201204, Uttar Pradesh TMP9145PR15799 39539	New	Electrician	6(2+2+2)	6(2+2+2)	4(2+2)	Recommended
			Fitter	6(2+2+2)	6(2+2+2)	4(2+2)	Electrician - 4 (2+2)
			Health Sanitary Inspector	2 (1+1)	2 (1+1)	2(1+1)	Fitter - 4 (2+2)
			sewing Technology	2 (1+1)	2 (1+1)	2(1+1)	Health Sanitary Inspector - 2 (1+1)
			Plumber	2 (1+1)	2 (1+1)	2(1+1)	sewing Technology - 2 (1+1)
			Mechanic Refrigeration & Air Conditioning	2 (1+1)	2 (1+1)	2(1+1)	Plumber - 2 (1+1)
Mechanic Refrigeration & Air Conditioning - 2 (1+1)							
However, these recommendations are subject to following condition							
ITI will give undertaking within 7 days from the date of issue of MoM that CITS qualified instructors will be appointed before the start of session 2022 to RDSDE and State Directorate UP. State Directorate and RDSDE of UP to ensure that CITS qualified instructors are appointed.							

-8-

STATE Uttar Pradesh

Meeting Date: 24/06/2022

Total - 12, (New-08, Existing -04)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
11.	Gyanganga Private ITI Deodeep Building, Near Chandi Tiraha, Robertsganj- Sonbhadra-231216 Mis Code: PU09900257 Grading - 2.74	Existing	Electrician	9 (3+3+3)	9 (3+3+3)	6(3+3)	Recommended:
			Fitter	3 (1+1+1)	3 (1+1+1)	2(1+1)	Electrician – 6 (3+3) Fitter – 2 (1+1) ITI to give undertaking within 7 days from the date of issue of MoM to RDSDE and State Directorate that CITS qualified instructors will be appointed before the start of session 2022. State Directorate and RDSDE to ensure CITS qualified instructors are appointed.

[Handwritten signatures]



STATE Uttar Pradesh

Meeting Date: 24/06/2022

Total - 12, (New-08, Existing -04)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade which affiliation sought for	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
12.	Heisenberg Career Private Industrial Training Institute, Samratnagar Mariahu Jaunpur-222161 TMP9152PU1582732251	New	Computer Operator and Programming Assistant (COPA)	1 (1+0+0)	1 (1+0+0)		<p>Recommended:</p> <ol style="list-style-type: none"> Computer Operator and Programming Assistant (COPA)- 1 (1+0) Dress Making- 2 (1+1) Electrician -4 (2+2) Fashion Design and Technology-2 (1+1) <p>ITI to give undertaking within 7 days from the date of issue of MoM to RDSDE and State Directorate that CITS qualified instructors will be appointed before the start of session 2022</p> <p>State Directorate and RDSDE to ensure CITS qualified instructors are appointed</p>
			Dress Making	2 (1+1)	2 (1+1)		
			Electrician	6 (2+2+2)	6 (2+2+2)		
			Fashion Design and Technology	3 (1+1+1)	3 (1+1+1)		

[Handwritten signature]
19/7




STATE West Bengal

Meeting Date: 24/06/2022

Total - 02, (New-02, Existing-00)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
1.	Vivekananda Private ITI, Foundry Park, Haulibagan.Ranihati- Amta Road. P.O- Jalabiswanathpur. District - Howrah- 711322 TMP19313PR15809 84571	New	Electrician	6(2+2+2)	6(2+2+2)	4(2+2)	Recommended:
			Fitter	6(2+2+2)	6(2+2+2)	4(2+2)	Electrician - 4 (2+2)
			Foundryman	3(1+1+1)	3(1+1+1)	2(1+1)	Fitter - 4 (2+2)
			Health Sanitary Inspector	3(1+1+1)	3(1+1+1)	2(1+1)	Foundryman - 2 (1+1)
							Health Sanitary Inspector - 2 (1+1)
							ITI to give undertaking within 7 days from the date of issue of MoM to RDSDE and State Directorate that CITS qualified instructors will be appointed before the start of session 2022.
							State Directorate and RDSDE to ensure CITS qualified instructors are appointed.





STATE West Bengal

Meeting Date: 24/06/2022

Total - 02, (New-02, Existing-00)

Sl. no.	Name of Institute with address	Type of Application New/E xisting	Trade which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
2.	Sadatpur Private ITI, At - Sadatpur, PO- Rakhajungle, PS- Kharagpur Local, Dist- Medinipur West TMP19318PR15814 03093	New	Electrician	6(2+2+2)	6(2+2+2)	2(1+1)	Recommended:
			Fitter	6(2+2+2)	6(2+2+2)	2(1+1)	Electrician- 2 (1+1)
			Welder	3(1+1+1)	3(1+1+1)	2(1+1)	Fitter- 2 (1+1)
			Health Sanitary Inspector	3(1+1+1)	3(1+1+1)	2(1+1)	Welder - 2 (1+1)
							Health Sanitary Inspector - 2 (1+1)
							ITI to give undertaking within 7 days from the date of issue of MoM to RDSDE and State Directorate that CITS qualified instructors will be appointed before the start of session 2022.
							State Directorate and RDSDE to ensure CITS qualified instructors are appointed.

[Handwritten signatures and dates]
19/7